SHARED GROUND HEAT EXCHANGE - STAKEHOLDER WORKSHOP


















Shared ground heat exchange Workshop agenda


Time	Торіс
12:30-13:00	Arrival, check out the <u>case studies</u>
13:00-13:05	Welcome, introduction
13:05-13:30	Overview of technology and research so far • Benefits and challenges
13:30-14:15	Breakout session 1: • <u>Technical & design</u> • <u>Local implementation</u>
14:15-14:45	 Break and check out <u>strategic policies</u> & <u>funding streams</u> Pin some notes What do you think of the funding streams? Are they helpful? What's missing to make SGHE viable?
14:45-15:30	Breakout session 2: • Business models • Users / consumers • National policy & design
15:30-16:00	Summary of the day and open space for questions What have we missed? Next steps
16:00	Close





Shared ground heat exchange Workshop agenda


Time	Торіс
12:30-13:00	Arrival, check out the <u>case studies</u>
13:00-13:05	Welcome, introduction
13:05-13:30	Overview of technology and research so far • Benefits and challenges
13:30-14:15	Breakout session 1: • <u>Technical & design</u> • <u>Local implementation</u>
14:15-14:45	 Break and check out <u>strategic policies</u> & <u>funding streams</u> Pin some notes What do you think of the funding streams? Are they helpful? What's missing to make SGHE viable?
14:45-15:30	Breakout session 2: • Business models • Users / consumers • National policy & design
15:30-16:00	Summary of the day and open space for questions What have we missed? Next steps
16:00	Close



















BUSINESS MODELS



USERS / CONSUMERS





SHARED GROUND HEAT EXCHANGE CASE STUDIES













FUNDING POLICIES

WHAT'S MISSING?

Together these don't represent a coherent joined-up strategy

Social Housing Decarbonisation Fund	 Biostimum Jul 7 Biostrottes par 7 Biostel, under blad Sents 	E.G. pr. 9 fine positis), Ro-said, apply to bill funding, 0 25.28 for each to income tary regiments may be justified.	based schemes pumps: Addings heating is quate of alreadypresent, may prefer mode heaters and ins solar P	
EXXXes hand targeted at reducing carbon emissions and tackling fael privaty in social housing.	Xentelmen an maximum stanlastan stapplisatan Candocriti provide 15-07 (2016) Reserve pro-charge beeling (2016) 3 + 0-08, (201 E - 1226, DPC P12 + 236,			
United in the second se		acheve (CARNIN' per year), stopy after reduces and (in-	Doesn't addre	
Social Housing	 BOS workshop for social musical powers to input into Place 3 into its works on 17 Petr 2020, and support to help be dissettanties in provide to provide the third Hausergheoldt Another part Max and another. 		the issue of perception th heat oumps a	
Decarbonisation Fund Consultor Octores Hole Country of BED	Key scheme	Electric, 5 years how 2017 England only Cantal any	for residents	
Scheme highlights	Organization algorith Bills autoretical by Property statelists	Local authorities, BPs Local authorities Sectial Insuring, EPC 2 or		
 Fabric-first approach, with shared ground heat exchange recognized as eligible technology 	Restort slightly	Social Instantia Fill		
Wave 1 (C100w) sheard, Mave 2 expected in 2022/23 Rearried ener	Approach DOHE elyptote	Palaria-Smil Yao, Niforning Schrite Management	Mostly this being used	
 No minimum or maximum bid size, but applications to trust large number of properties encouraged 	References & further information		fabric	
Schemo details The bodge methode is and it and housy instruct includes and houses	Max Terres are when	enternet (sold adversion) and are enternet (sold adversion) and are sense 1 accounts)	works	
Penders, 8 is intended to bolie har priority, tellular carbon, and improve confirst, health and well-being Phone 3 species along amber proceptor 6 March 1, boli	when 2 data social for	oing developing an fund. Many work they		
san bermale by sensels of lead autorities and FPs lead must be test by tool or sorthmed sufficients.	 Max.Sever.accideousing.straft.org.all 			

		Leec	
Heat Pump Ready Programme	Pump Deployment COD to aquint dree restrictions to date . Propuls which in several bearing	(generic and histoff solutions and an high-density deployment. New splittined deployment and so to Plantact.	
evercoming barriers to residential heat pump dephyment at acake and in high denaities.	ours makeurs	Drad Business Pleasanch Indials	
eccively.		ng Tanak and Tanhaninggi organiset of technology, tools as a spacific barriers it domastic he	
Heat Pump Ready:	 Increase lifetime Wire warmability 	or deration.	
Supporting information Coursey at 665			
Scheme highlights	Brown it This Support & Learning' Dry to support to be being to only of the support scross programme a California of share structure, publicate, to submit		
 Focused on tackling barriers to domestic heat pump deployment. 	 Gaptati and Auto program, Anderson, Interesting, and Indexes between Stream 1.8.2 and other N2P. Generation of Incodedge and address to estimate transmission. 		
Open to all types of applicant EDDs over three work streams	Ouring dole 12 Mar		
Application deadlines Pole-Mar 2022	Key scheme information Drane view Other server 2 streams to Mar active		
Scheme details This where error to task current problems level for	Applicable to Applicant angle (b)	England, Weley, Dustland "Statusholders have across the feet lambasate"	
head pump suggitine, installers prohusionment, and inside the solutionest for mass deployment towards the generometrix 800,000/year by 2001 larged.	Culpuls is installe	Beiter best pump designs, montoring systems, financial maskels, taxis for surveys, signifiens, etc.	
The mali stream programme aims in delawer Packasel capital, weathers and survey cash for head pumps. I Insurvey cash programme assertions of product television.	Cod algoins	Bream 1 (1984-20m) Bream 3 - slighte conta op to-maximum grant interesty Yas (Bream 5)	
 Improved consumer segmenter of probab selection, metapholox, set hency with a fract pump. Idealeses to the impact of iterastic heat pumps on the area for the impact of iterastic heat pumps on the area for the impact of iterastic 			
the excholy-ph.	Max James are obtain	and a standard party of	



Good for trials less so for wider deployment

	Con Mill parts in a framework (Million) when they from part it when approach sympto- alastics in unreliand association. The Control of the Control of the Control manual Symptometry (Control of the Control manual Symptometry) (Control of the Control of the Control of the Internet Symptometry) (Control of the Control Million (Control of the Control of the Control Million) (Control of the Control		
Green Heat Network Fund Castal grants to support development of low and zero carbon heat solveda.			
Court Ja	calores over that 15 years in genution of 1,35% 20kHy system)		
Creen Haat Network Paul Anders Kanne Haave Terrent Paul	Good reachs Max URQ2DWIM homose every shifteest Nos of heat is valid every been family to see a set or exercises and provide the handless constrained as the handless Con		
Scheme highlights	Key scheme	information	
 Grant funding to cover costs 	Scherrer volume	Glim	
developing for calbor hast retworks	Applicable to	Empland & Wales	
· Open to public, private and Public sector	Des submitted for	Fed news &velop/	
Transition scheme cleand Cet 21; full scheme aspected Apr 2822	Technology any below	spondar Various inc. wasta best, haat pursps, skap pestormal, salar framat	
	Patrick anything	Min. 2019 (urbani, FM	
Scheme details The access after to the real federal treatment Prior (PDP) and to ball a particle of the action has	Consequences	BPL of adult CAPER, up to A typically of feast delivered man first 12 mars	
reduces projects through 12 funding-rounds from eqs. 22 – Swipt 24	3D-E elgin	Yes, when appropriated	
Applications-can be made by any type of imprivation, and for many mainting head releases, which meet a set of general meeting, primary-centum-molection.	References & further information		
A detroiter is made between which artists loops	Indexed fund sharing an		
A detrollers is made between slights andrest loops Prantially menager? 200hrs and non-alphia shapet			

-





WHAT'S MISSING?

Together these don't represent a coherent joined-up strategy

STRATEGIC POLICIES



Heat & Buildings Strategy

Strategy details The singly represent over segued to date sizeble has proving house public to date and the has proving the sizeble date of the sizeble date of the sizeble date of the sizeble products by the sizeble products by the sizeble products by the sizeble of the sizeble products by the sizeble date of th Overarching strategic framework with aim to decarbonise virtually all UK buildings by 2090.



Conteny of \$552

Strategy highlights

Repor part of UK's Net Zero Studegy released in Cv3 2921.

Mongolds energy efficiency, focus on head pumps, clubics basiling & hydroge on largely distinct system.

Next Index No Printed Resolution from larged for deployment, the situationy index to the COC strainticulum fluctimey could provide TBNs of examples from statement by 2010.

Accounting that the tartion had induces on unless shared assess in unlessed host assess and in solutions within to high-bands withing the boomet smalles builden assess as an environment building millips statisticities, suggesting a boos in large 1 day-antic againstice.

Policy Leeds

Psylegan In part of seconding to a shocker along for role of hydrogen by 2005, the strategy lituates in the role for large seals toda and desciping thransites or admitte-tions a motion. In degrees tyringer (21) toggees to the large based status to trajectory strategy with a large state product to be status to income segments in par-

Overfore to consider segaring 9045 • Second it folls between heat pumps and electric heating-options, it lines activit our 2040 being overfolded or a selectric and non-Roaff

References & further information Mpc hows go us go entropy biological and buildings sharings





What is a heat todayst som? 'S heat website some solf for a shelpssted avec solfer what heat reduction are the dweat sole, the colour solution for dweatershows into a new?

Rependentifies for appearable prese: - Comparison of the second Painting This admonitolity that instructional accompacting will only be accounted where boat authorities near the spati-measurements requirement their exponentialities adhesively." Rhob holdings will be reached to correct? We see bothing, but an experient automatin We see bothing, but colors and as larger demonster premises which are convertly community health? would be support to convert in a hear convert with a presented interferent." (Spline 2 preliment) Rhat is mention a "heat retents"? Pibel is reacting a Voat naturals¹
 Otto: I had naturals when multiple buildings across had then a control handler of tourse.
 Eabling semimular naturals may be connected to many desization handles in agree.
 An indexes and, GOM adgets

Policy Leeds

Nationalizing development This will include 2003anse and 20th for contribute a pergraphic area as a load retrock new and plotting the basic actions (approach, work for the model plotting) seemid angues of modeling and mapping an well as respectively fixed data basic basis.

Determore & further information

WHAT HAVE WE MISSED / ANYTHING ELSE?

Potential gap: In our discussions with stakeholders on Local Area Energy Planning and zoning, the complexity of LA governance came up as a key theme. Responsibilities and resources significantly between Mayoral authorities, district LAs, county etc. This probably needs to be looked at in more detail

Potential gap: We are getting responses from industry and others that there may be other regional actors who take on the role of Zoning Coordinators. This might be, for example, the LEP or Mayoral Authorities. Benefit of SGHE control of DHW & SH seperately Low temps for SH & higher efficiencies Non domestic RHI - reason for increase in small scale SGHE systems? -

Perhaps not the best technical solution for all but driven by financial model

General comment: Lack of awareness/ understanding of heat pumps means all systems being considered as 1 entity

Little to no understanding of distinction between ASHP and GSHP let alone open vs

closed, shared etc.

example given: 'It washing machine breaks, 'oh it's a zanussi, i'll replace it with a bosch' whereas with a HP malfunction it's 'oh, heat pumps are rubbish'

Example given: "if washing machine breaks, 'oh it's a